10

SEM Specimen Stubs

Short Pin Type

Aluminium					
•	'	x 8mm long	pin, <i>with groove</i> for Car	nbridge/	LEO, Philips, Etec
etc instrum S081	nstruments. 1 ½" Pin type stub (with groove) pack of 100				
S081/N	As above with alph		nbering		min pack of 100
S081/1	1/2" Pin type stub (v	vith groove)	-		pack of 1000
S081/HP		vith groove) hig	gh purity Al for analysis	apps	pack of 100
S081/T S182	1/2" Pin type stub 1/2" Pin type stub (v	(ithout aroove))		pack of 100 pack of 100
0102	72 T in type otdo (1	intriout groovoj	/		
S433 S434			n 3.2mm Ø x 6mm long 3.2mm Ø x 6mm long fe		pack of 100 pack of 100
Brass					
S178	½" Pin type stub (v	vith groove)		pack o	f 10
•					
Coppei		10		1	(40
S179	1⁄2" Pin type stub (v	vith groove)		pack o	10
1ӯ	(25.4mm) Alui and Philips instrur		Pin type stub with 3.2m	m Ø pin f	for Cambridge/LEO
S087	1" Pin type stub			pack o	f 50
32mm 9 S181	Aluminium Short 32mm Ø pin type s		with 3.2mm Ø pin for Ca	a mscan pack o	f 50
Long	J Pin Type				
Aluminium S180	¹ / ₂ " Ø (12.7mm) with	n 3.2mm Ø pin	for Amray	naaka	f =0
3160	¹ / ₂ " Amray pin stub	-		pack o	1 50
Re-e	Re-entry Type				
32mm (1½ S091	4") Ø re-entry (dish) t 32mm (1¼") Ø Alu			pack o	f 50
Cylinder Type					
	drical aluminium stul	os for JEOL in	struments		
	m Ø x 3.5mm high	pck of 50	S084 15mm Ø x 5mm		pck of 50
	m Ø x 5mm high m Ø x 10mm high	pck of 50 pck of 50	S085 15mm Ø x 10m S086 15mm Ø x 15m		pck of 50 pck of 50
	m \emptyset x 12.5mm high		S089 32mm Ø x 5mm		pck of 50
S185 12.7	mm Ø x 5mm high	pck of 50	S090 32mm Ø x 10m	nm high	pck of 50
	mm Ø x 10mm high	pck of 50	S188 32mm Ø x 20m		pck of 50
S187 12.7	mm Ø x 15mm high	pck of 50	S189 50mm Ø x 10m	m high	pck of 50

Re-entry Type Stub Adapter

A simple, effective adapter to convert 12.7mm (1/2") pin stubs to allow 32mm (1.5") Ø reentry dish type stubs to be used on 1/8" stage. The ball catch gives a trouble free, quick solution to a difficult problem. S261 SEM stub adapter - re-entry stub

S081/S178/S179




S182

S081/N Please state sequence when ordering






S087







S091






10

















Aluminium stubs with a chamfered angle of 45° suitable for **JEOL** or **ISI** instruments where fitting stages are not available.

pack of 10 pack of 10 pack of 10

pack of 50

pack of 50

pack of 50

pack of 50

S127	Angled stub 10mm Ø	
S190	Angled stub 12.7mm Ø	
S126	Angled stub 15mm Ø	

Threaded Type

Aluminium stubs threaded with M4 female thread in base for Hitachi instruments.

- **S128** Threaded stub 15mm Ø x 6mm high
- **S191** Threaded stub 25mm Ø x 6mm high
- **S192** Threaded stub 32mm Ø x 2mm high

S193 Threaded stub 32mm Ø x 10mm high

Carbon Stubs

Where the background radiation from the specimen stub is troublesome, a specimen stub manufactured from spectroscopic carbon may be used. Stubs for **Cambridge/LEO**, **JEOL** and **ISI** microscopes are available. They can have a *standard* finish or an *ultra smooth* finish for small particles or fibres.

S100	Carbon stub for Cambridge/LEO standard finish	each
S101	Carbon stub for Cambridge/LEO ultra smooth finish	each
S102	Carbon stub for JEOL (10mm Ø x 10mm H) standard	each
S103	Carbon stub for JEOL (10mm Ø x 10mm H) ultra smooth	each
S104	Carbon stub for ISI (15mm Ø x 10mm H) standard	each
S105	Carbon stub for ISI (15mm Ø x 10mm H) ultra smooth	each
S106	Carbon stub for Cambridge microanalysis stage std	each
S107	Carbon stub for Cambridge m/analysis stage u/smooth	each

Carbon Disc on Stub

This is an economical solution to the need for a light element surface for mounting specimens that are to be used for microanalysis. The carbon disc is 3mm thick and is glued to a standard $\frac{1}{2}$ " (12.7mm) stub.

Supplied in batches of 8 stubs in a stub storage box.

S111 Box of 8 carbon covered ½" (12.7mm) stubs

Slotted Specimen Stubs

- **S402** A 12.5mm slotted aluminium pin stub with two Allen screws allowing the specimen to be securely clamped for examination. Allen key supplied.
- **S403** A gripping pin stub with slot and single screw to allow specimens to be mounted edge-on for examination (designed at the University of Leicester).

Stub Adapters

These adapters allow JEOL, ISI/ABT and Hitachi users to accommodate the standard pin stubs of the European and American manufacturers. The conversion cylinder contains a clip to hold the pin stub.

- Converter for JEOL, 10mm Ø cylinder
- S367/1 Converter for JEOL, 12.5mm Ø cylinder
- S367/2 Converter for ISI/ABT, 15mm Ø cylinder

S367/3 Converter for Hitachi, 15mm Ø cylinder with M4 internal thread





each pack of 10 each pack of 10

each pack of 10

each pack of 10

pack of 50 pack of 100 pack of 10 pack of 50

pack of 100

pack of 10 each

pack of 10 each pack of 10

pack of 10

each

each

Specialised SEM Specimen Stubs

Stub for TEM Grids

In some applications (e.g. some SEM/EDX) results are improved if particulate samples are mounted on thin films deposited onto TEM grids. This pin-type aluminium stub allows four grids to be held securely for SEM work. There is a hole under each grid to reduce the backscatter component in electron collection and prevent extraneous X-ray collection.

- SEM stub aluminium (pin-type) for TEM grids
- S401 SEM stub copper (pin-type) for TEM grids for cryo applications

Pin Stubs with Engraved Divisions

Aluminium SEM **pin** mounts with **engraved and numbered** divisions for multiple smaller samples to fit FEI/Philips, ZEISS/LEO, Cambridge, Leica, Amray, Tescan and Camscan SEMs. Pin is 3.2mm (1/8") and 9mm (3/8") long. Quality machined smooth surface.

S536	12.7mm Ø pin mount with 4 divisions
S536/1	12.7mm Ø pin mount with 4 divisions
S537	19mm Ø pin mount with 4 divisions
S537/1	19mm Ø pin mount with 4 divisions
S538	25.4mm Ø pin mount with 12 divisions
S538/1	25.4mm Ø pin mount with 12 divisions
S539	32mm Ø pin mount with 12 divisions
S539/1	32mm Ø pin mount with 12 divisions

Special Size Aluminium Pin Stubs

Angled Pin Stubs

Phone: +44 (0) 118 981 7775

S546 EM-Tec PS15 Pin stub swivel mount, 15mm Ø, 15mm pin 45° angled high profile AI SEM pin stub 12.7mm Ø standard pin S547 45/90° angled high profile SEM pin stub 12.7mm Ø standard pin S548 S548/1 45/90° angled high profile SEM pin stub 12.7mm Ø standard pin S548/2 45/90° angled high profile SEM pin stub 12.7mm Ø standard pin **\$549** 45° angled standard profile SEM pin stub 12.7mm Ø std pin S549/1 45° angled high profile SEM pin stub 12.7mm Ø standard pin S549/2 45° angled high profile SEM pin stub 12.7mm Ø standard pin **\$550** 45° angled standard profile SEM pin stub12.7mm Ø std pin S550/1 45° angled standard profile SEM pin stub12.7mm Ø std pin S550/2 45° angled standard profile SEM pin stub12.7mm Ø std pin **\$551** 45/90° angled standard profile SEM pin stub 12.7mm Ø std pin S551/1 45/90° angled standard profile SEM pin stub 12.7mm Ø std pin S551/2 45/90° angled standard profile SEM pin stub 12.7mm Ø std pin



Pin Stubs





Fax: +44 (0) 118 981 7881

10



S556

S557



S552	Double 45/90° angled SEM pin stub 25.4mm Ø standard AI pin	
S552/1	Double 45/90° angled SEM pin stub 25.4mm Ø standard Al pin	pack of 5
S553	Double 90° SEM pin stub 25.4mm Ø standard pin Al pin	each
S553/1	Double 90° SEM pin stub 25.4mm Ø standard pin Al pin	pack of 5
S554	45/90° SEM pin stub 32mm Ø standard pin Al	each
S554/1	45/90° SEM pin stub 32mm Ø standard pin Al	pack of 5
S555	Double 90° SEM pin stub 32mm Ø standard pin Al pin	each
S555/1	Double 90° SEM pin stub 32mm Ø standard pin Al pin	pack of 5

SEM Pin Stubs with Extra Height

S556	Pin stub extender 12.7mm Ø x 22.7mm (10mm extra height)	each
S557	Pin stub 12.7mm Ø 4mm extra height std pin Al	pack of 5
S557/1	Pin stub 12.7mm Ø 4mm extra height std pin Al	pack of 10
S557/2	Pin stub 12.7mm Ø 4mm extra height std pin Al	pack of 50
S558	Pin stub 12.7mm Ø 6mm extra height std pin Al	pack of 5
S558/1	Pin stub 12.7mm Ø 6mm extra height std pin Al	pack of 10
S558/2	Pin stub 12.7mm Ø 6mm extra height std pin Al	pack of 50
S559	Pin stub 12.7mm Ø 6mm extra height std pin Al	pack of 5
S559/4	Pin stub 25.4mm Ø 4mm extra height std pin Al	pack of 5
S559/1	Pin stub 25.4mm Ø 4mm extra height std pin Al	pack of 10
S559/2	Pin stub 25.4mm Ø 4mm extra height std pin Al	pack of 50

SEM Pin Stubs Low Profile

S560 S560/1	Low profile SEM pin stub 12.7mm Ø with 1mm height, Al Low profile SEM pin stub 12.7mm Ø with 1mm height, Al	pack of 5 pack of 10
	Low profile SEM pin stub 12.7mm Ø with 1mm height, Al	pack of 50
	Low profile pin stub 12.7mm Ø with 35° for Tescan, FIB x SEM	pack of 5
S561/1	Low profile pin stub 12.7mm Ø with 35° for Tescan, FIB x SEM	pack of 10
	Low profile pin stub 12.7mm Ø with 35° for Tescan, FIB x SEM	pack of 50
S562	Low profile pin stub 12.7mm Ø with 38° for Tescan, FIB x SEM	pack of 5
	Low profile pin stub 12.7mm Ø with 38° for Tescan, FIB x SEM	pack of 10
S562/2	Low profile pin stub 12.7mm Ø with 38° for Tescan, FIB x SEM	pack of 50

Dish top Pin Stub

S563 SEM Dish pin stub, 12.7mm Ø x 7mm with 1.5mm dish depth AI each S563/1 SEM Dish pin stub, 12.7mm Ø x 7mm with 1.5mm dish depth Al S563/2 SEM Dish pin stub, 12.7mm Ø x 7mm with 1.5mm dish depth Al

pack of 5 pack of 10

Specialised JEOL SEM Stubs

S564	JEOL 9.5mm Ø x 9.5mm angled SEM stub with 45° and 90° Al	pack of 10
S564/1	JEOL 9.5mm Ø x 9.5mm angled SEM stub with 45° and 90° Al	pack of 50
S565	JEOL 12.2mm Ø x 10mm angled SEM stub with 45° and 90° Al	pack of 10
S565/1	JEOL 12.2mm Ø x 10mm angled SEM stub with 45° and 90° Al	pack of 50
S566	JEOL 25mm Ø x 16mm angled SEM sample stub with 45° Al	pack of 5
S566/1	JEOL 25mm Ø x 16mm angled SEM sample stub with 45° Al	pack of 10
S567	JEOL 25mm Ø x 16mm SEM sample stub with 45° & 90° angles AI	each
S567/1	JEOL 25mm Ø x 16mm SEM sample stub with 45° & 90° angles Al	pack of 5
S568	JEOL 25mm Ø x 16mm SEM sample stub with double 90° Al	each
S568/1	JEOL 25mm Ø x 16mm SEM sample stub with double 90° Al	pack of 5
S569	JEOL Dish stub, 12.2mm Ø x 10mm with 1.5mm dish depth Al	pack of 10
S569/1	JEOL Dish stub, 12.2mm Ø x 10mm with 1.5mm dish depth Al	pack of 50



S559











S565

S567

10.4

Specialised Hitachi SEM Stubs

S570	Hitachi 15mm Ø x 10mm M4 angled SEM sample stub 45° Al	each
S570/1	Hitachi 15mm Ø x 10mm M4 angled SEM sample stub 45° Al	pack of 10
S571	Hitachi 25mm Ø x 16mm M4 angled SEM sample stub 45° Al	each
S571/1	Hitachi 25mm Ø x 16mm M4 angled SEM sample stub 45° Al	pack of 10
S572	Hitachi 15mm Ø x 11mm M4 angled SEM sample stub 45° & 90° A	each
S572/1	Hitachi 15mm Ø x 11mm M4 angled SEM sample stub 45° & 90° A	pack of 10
S573	Hitachi 25mm Ø x 16mm M4 angled SEM sample stub 45° & 90° A	each
S573/1	Hitachi 25mm Ø x 16mm M4 angled SEM sample stub 45° & 90° A	pack of 10
S574	Hitachi 25mm Ø x 16mm M4 angled SEM stub, double 90° Al	each
S574/1	Hitachi 25mm Ø x 16mm M4 angled SEM stub, double 90° Al	pack of 10
S575	Hitachi 32mm Ø x 12mm M4 angled SEM sample stub 45° & 90° A	each
S575/1	Hitachi 32mm Ø x 12mm M4 angled SEM sample stub 45° & 90° A	pack of 10
S576	Hitachi 15mm Ø x 10mm M4 dish SEM sample stub, Al	pack of 5
S576/1	Hitachi 15mm Ø x 10mm M4 dish SEM sample stub, Al	pack of 10
S576/2	Hitachi 15mm Ø x 10mm M4 dish SEM sample stub, Al	pack of 50



10